McKinsey Health Institute

Table

The healthy 23: Drivers of your health and longevity

December 2022

Modifiable drivers of health heavily influence overall health status. A large and growing body of evidence suggests that out of 23 drivers, 19 reside outside of traditional healthcare systems. Each of these drivers appears to have an independent, direct, material, and causal impact on health and longevity. What's more, these drivers are modifiable.

Drivers	Description	Illustrative highlights
Physical inputs		
Diet	Food selection; portions; preparation; eating timing; macro/ micro nutrients; fasting/calorie restriction; water consumption	 Fasting has shown the ability to reverse Type 2 diabetes and reduce the likelihood of cognitive decline¹ Emerging research is demonstrating that ketogenic diets can help treat serious mental illness² A range of healthy diets has been shown to reduce risks of disease, extend life, and improve mood³ A Mediterranean diet including olive oil and nuts is associated with a 30% lower risk of cardiovascular disease⁴ Drinking 1–2 sugar-sweetened beverages per day is associated with a 14% higher risk of mortality from any cause⁵ Higher blood glucose levels in nondiabetic patients is associated with 30–40% higher likelihood of cardiovascular and cancer-related death⁶

Drivers	Description	Illustrative highlights			
Physical inputs (con	Physical inputs (continued)				
Supplementation	Frequency; extent of use; type (eg, extracts, teas, vitamins, minerals, herbs, botanicals, amino acids, metabolite, probiotics, caffeine)	 Multiple studies have found DHA and EPA supplementation (fish oil) lowers risk of cognitive decline, especially among people at high risk for Alzheimer's disease, and is linked to 13% reduced risk of heart attacks⁷ Drinking 1–4 cups of coffee per day is associated with a lower mortality risk of 12–17%⁸ Despite having enough food, 2 billion people do not get enough micronutrients (eg, up to 500,000 children who lack vitamin A become blind every year)⁹ Vitamin D supplementation reduced the risk of death from cancer by 15%¹⁰ 			
Substance use	Frequency; extent of use; type (eg, alcohol, tobacco/nicotine, vaping, cocaine, marijuana, heroin, psilocybin)	 Smokers who stop smoking at age 40 can recover 9 of 10 years lost due to lifelong habit¹¹ Drinking >17 units of alcohol a week has been linked to accelerated DNA aging, cognitive decline, and cardiovascular disease¹² When used in a time-bound and appropriately dosed manner, oral cannabinoids have been shown to reduce chemotherapy-induced nausea by up to 38 percent¹³ 			
Movement	'				
Mobility	Mix of time by position; standing, sitting, walking, posture, typing, neck position, use of fine motor skills	 Dozens of studies demonstrate that walking reduces chronic pain, strengthens the immune system, and significantly decreases anxiety, sadness, and fatigue¹⁴ Numerous large observational studies show a strong link between walking and all-cause mortality¹⁵ In 2019, 15 million years of life were lost or lived with disability because of occupational ergonomics (matching workplace conditions and infrastructure to suit human factors such as posture)¹⁶ 			
Exercise	Duration; frequency; type (eg, sports, endurance, high intensity, strength/ resistance, stability, flexibility, coordination, individual/group)	 Extensive robust research shows that consistent exercise alone can extend life by 3-5 years and improve quality of life by 5-10 years¹⁷ Burning 1,000 calories a week can reduce mortality by 20%¹⁸ A study found that people over age 60 who participated in weekly balance and resistance training showed a 34% reduction in falls¹⁹ People with poor fitness (25th percentile of VO₂ max) have a mortality risk 2.75× higher than those with high fitness (75th percentile)²⁰ High-intensity activity for a relatively short period of time appears to stimulate brain growth in older adolescents ²¹ 			
Sleep	Quality; duration; mix by stages; regularity; consistency; alignment to circadian rhythm	 Sleep quality, duration, and consistency are associated with better academic performance in college students²² Sleeping <6 hours vs 7–9 hours a night is associated with an all-cause mortality increase of 13%²³ 2 weeks of 4 hours of sleep per night results in a ~50% reduction in ability to process glucose²⁴ Sleeping >9 hours a night has been associated with lower cardiovascular health²⁵ Insomnia is linked to increased risk of cognitive impairment by 27%²⁶ 			

Drivers	Description	Illustrative highlights
Daily living		
Productive activity	Work, volunteering, caregiving, hobbies, worshipping, activism, playing music, arts/crafts, travel	 Multiple studies have found that more engaged employees experience better physical and mental health²⁷ Laid-off workers in the US were found to be 54% more likely to have fair or poor health, and 83% more likely to develop a stress-related condition, such as stroke, heart attack, heart disease, or arthritis²⁸ There is a strong correlation between health (including longevity) and engagement in altruistic activities (eg, people who volunteer have fewer symptoms of depression, anxiety, and stress-induced pain compared with non-volunteers)²⁹
Social interaction	Conversations, meals, vocational interaction, friendships, physical intimacy, marriage/dating, activities; in-person or remote	 Dozens of studies have observed an average 50% increased likelihood of survival for participants with stronger social relationships³⁰ Social integration during childhood is related to blood pressure and BMI in adulthood³¹ Sports with more inherent social interaction (tennis, badminton, soccer) are associated with greater longevity gains than other sports³² Owning a pet is associated with decreased risk of cardiovascular disease³³
Content consumption	Entertainment, literature, news, music, pornography; all formats—online, apps, social media, newspaper, in-person, TV, gaming	 Consuming pornography for >30 minutes in a row is linked to a higher prevalence of erectile dysfunction³⁴ >5 hours' daily use of social media was associated with a 35-50% increased risk of depressive symptoms in adolescents³⁵
Hygiene	Handwashing, bathing, showering, oral care, ear protection, grooming	 Washing hands with water and soap reduces by 50% the risk of spreading diarrheal disease³⁶ Personal hygiene significantly impacts our risk of infection and affects our mental health (eg, poor oral health can exacerbate social withdrawal, isolation, and low self-esteem). It can also cause problems with speaking and eating and is correlated with higher mortality for older adults³⁷
Exposure		
Nature	Time among forests, flowers, bodies of water, wildlife/insects, mountains; day/night sky	 Exposure to nature, or higher levels of greenery, lowers levels of depression, increases motivation for physical activity, and can lower the risk of respiratory disease³⁸ Death from respiratory disease is reduced by 33% in women who have high levels of vegetation in their homes³⁹ A recent random control experiment demonstrated that exposure to nature for 30 minutes–1 hour reduced stress and improved the brain's ability to successfully navigate future stressors⁴⁰

Drivers	Description	Illustrative highlights		
Exposure (continued)				
Atmosphere	Temperature; humidity; weather, weather events; radiation; smoke; high heat/cold exposure (sauna, cold plunge)	 Multiple studies show that regular use of saunas at high temperatures decreases the risk of all-cause mortality by as much as 40% and the risk of dementia as much as 66%⁴¹ Worldwide, air pollution causes 7 million deaths annually, of which 3.2 are due to indoor air pollution (eg, cooking with solid fuel)⁴² 		
Sensory	Screens; sun/exterior light; type/degree of interior light; noise: type, intensity, duration	 Regular exposure to sunlight can avoid a decrease in a hormone that can trigger depression symptoms (seasonal affective disorder)⁴³ Noise pollution leads to 12,000 premature deaths a year in the EU, mostly through a link with heart attacks and diabetes⁴⁴ 		
Materials	Type (air, water, surfaces, fabrics, containers); contents (toxins, germs, pollutants, heavy metals, allergens)	 Research suggests weighted blankets may benefit people with anxiety, pain and autism⁴⁵ Exposure to toxins from consumer products, even cheap jewels, can cause physical damage⁴⁶ Globally, lead exposure is estimated to account for 30% of intellectual disability without a known cause⁴⁷ A study associated children who had high exposure to pesticides with a 7-point IQ drop compared with children who had low exposure⁴⁸ 		
Stress	Response to physical, emotional and/or mental challenge (pressure, trauma, excitement); acute and chronic; includes eustress	 Eustress, or favorable stress, including time in "flow," is associated with stronger cognitive function, resilience, and improved immune function⁴⁹ Chronically elevated levels of stress can increase the risk of cardiovascular disease, neurodegenerative disease, and metabolic disease⁵⁰ The Lancet recently reported that individuals have a 3× increased risk of mortality the year they are diagnosed with a stress-related disorder⁵¹ 		
State of being	'			
Mindsets/beliefs	Attitudes/perspectives toward all aspects of life: religion/philosophy, optimism, agency, nature of people, purpose, hope	 Optimists (a learned behavior) are 35% less likely to experience a cardiovascular event compared with pessimists⁵² A study by the University of Kentucky demonstrated that immunity is stronger in individuals with positive thoughts, even if they are healthy⁵³ A randomized, controlled trial of 4,000 children demonstrate that 30 minutes of training around a "growth mindset" had strong and lasting positive effects on mental health and academic performance⁵⁴ Multiple studies highlight an association between gratitude and better physical health, more friends, stronger resilience, reductions in depression, and better sleep⁵⁵ 		
Body composition	Body fat by type of fat; lean muscle mass; morbid obesity	 Increasing lean muscle mass can improve metabolic function across all age groups and prevent falls in the elderly⁵⁶ Excess body fat accounted for 120 million years lost to disability or premature death; 37% of the years lost occurred among nonobese individuals⁵⁷ Visceral fat is most closely linked to health span and longevity⁵⁸ 		

Drivers	Description	Illustrative highlights		
State of being (continued)				
Physical security	Physical security/ safety: absence of war, armed conflict, criminal violence, domestic violence, avoidable accidents	 Exposure to violence and breaches to safety have long-term effects on health. Between 1990–2017, war contributed to an extra 29 million civilian deaths⁵⁹ 1.7 billion people are exposed to temperatures and humidity that can be deadly⁶⁰ 		
Economic security	Food security, housing security, income security, access to healthcare	 High-income individuals are 5× more likely to self-report strong health⁶¹ The rising cost of living has adversely impacted population health. In 2021, >6,000 deaths in England were directly attributable to fuel poverty⁶² Impoverished conditions can permanently alter a child's brain architecture and increase risk of developing chronic illnesses⁶³ 		
Healthcare	1			
Vaccination	Regularity and extent of vaccination: measles, mumps, rubella (MMR); flu; COVID-19; tuberculosis; polio; tetanus	 In 2021, COVID-19 vaccinations are estimated to have prevented 14.4 million deaths worldwide⁶⁴ The polio vaccine spared 16 million from paralysis since 1998 and has achieved 99.9% of polio eradication⁶⁵ 		
Detection/ diagnosis	Monitoring; testing; screenings; genetic testing; diagnosis of risk factors, disease and/or conditions	 Advancements in diagnosing disease has enabled us to halt progression of disease and prevent death from malignancy⁶⁶ In the UK, cervical cancer screening every 5 years was found to have reduced deaths from cervical cancer by 70%⁶⁷ A study conducted by the Office for National Statistics shows that for most cancers, survival at 1 and 5 years is much higher if the cancer is detected early (at stage 1) (eg, for colorectal cancer, 1-year survival if detected at stage 1 is 97.7%, falling to only 43.9% if detected at stage 4)⁶⁸ 		
Clinical intervention	All forms of clinical treatment: surgeries, device implant, pharmacologic; therapy; hearing aids; other medical devices	 5-year cancer survival rates in the US have increased from 50% in the 1970s to 67% by the 2010s, including for cancers detected late, due to improved treatments⁶⁹ HIV medication has saved 16.5 million lives since 2001⁷⁰ 		
Adherence	Extent to which an individual follows a prescribed treatment plan including interventions, extent, frequency, duration, method	 A 25% decrease in adherence to inhaled steroids for asthma doubles the rate of asthma-related hospitalization⁷¹ 200,000 premature deaths in Europe per year are due to poor adherence, and mortality rates for patients with diabetes and heart disease who don't adhere to medication are nearly twice as high than for those who do⁷² 		

Disclaimer: Drivers of health are complex. Effects can vary among individuals based on genetics, traits, randomness, and interaction with other drivers. Each driver can be optimized (or not) based on a myriad of individual choices and structural/environmental influences.

Endnotes

- 1 Antonio Biano et al., "The influence of meal frequency and timing on health in humans: The role of fasting," *Nutrients*, April 2019, Volume 11, Number 4; Christopher M. Palmer, *Brain Energy: A Revolutionary Breakthrough in Understanding Mental Health—and Improving Treatment for Anxiety, Depression, OCD, PTSD, and More*, Dallas, TX: BenBella Books, 2022.
- ² Christopher M. Palmer, *Brain Energy:*A Revolutionary Breakthrough in
 Understanding Mental Health—and
 Improving Treatment for Anxiety, Depression,
 OCD, PTSD, and More, Dallas, TX: BenBella
 Books, 2022.
- ³ Bernard Corfe et al., "The role of diet and nutrition on mental health and wellbeing," Proceedings of the Nutrition Society, Nov 2017, Volume 76, Number 4.
- ⁴ Fernando Aros et al., "Primary prevention of cardiovascular disease with a Mediterranean diet supplemented with extra-virgin olive oil or nuts," New England Journal of Medicine, June 2018, Volume 378, Number 25.
- ⁵ Lawrence De Koning et al., "Long-term consumption of sugar-sweetened and artificially sweetened beverages and risk of mortality in US adults, Circulation, Mar 2019, Volume 139, Number 18.
- ⁶ Anahad O'Connor, "At any age, a healthy diet can extend your life," *Washington Post*, Oct 18, 2022.
- ⁷ Greg M. Cole et al., "Omega-3 fatty acids and dementia," *Prostaglandins*, *Leukotrienes* and *Essential Fatty Acids*, Aug-Sept 2009, Volume 81.
- ⁸ Judit Simon et al., "Light to moderate coffee consumption is associated with lower risk of death: a UK Biobank study, *European Journal of Preventive Cardiology*, Apr 2022, Volume 29, Issue 6.
- ⁹ "The hidden hunger affecting billions," BBC, July 1, 2019; "Vitamin A deficiency," WHO, 2009.

- ¹⁰ Fang Fang et al., "Association between vitamin D supplementation and mortality: systematic review and meta-analysis," BMJ, 2019, Number 366.
- Mateusz Mucha et al., "Addiction calculator," Omni Calculator.
- ¹² Steven Bell et al., "Associations between moderate alcohol consumption, brain iron, and cognition in UK Biobank participants: Observational and mendelian randomized analyses," *PLOS Medicine*, July 2022, Volume 19, Issue 7.
- ¹³ Martin R. Tramèr, "Cannabinoids for control of chemotherapy induced nausea and vomiting: quantitative systematic review," BMJ, July 2001, Volume 323, Number 7303.
- 14 "The benefits of walking," Columbine Health Systems Center for Healthy Aging, Colorado State University.
- ¹⁵ Sirwan K. L. Darweesh et al., "Unraveling the association between gait and mortality—one step at a time," *Journals of Gerontology: Series A, Biological Sciences and Medical Sciences*, May 2020, Volume 75, Number 6.
- ¹⁶ Ehsanollah Habibi et al., "The effect of three ergonomics interventions on body posture and musculoskeletal disorders among staff of Isfahan Province Gas Company," *Journal of Education and Health Promotion*, Aug 2015, Volume 4, Number 65.
- ¹⁷ Peter Kokkinos et al., "Physical activity, cardiorespiratory fitness, and the metabolic syndrome," *Nutrients*, July 2019, Volume 11, Number 7.
- ¹⁸ Shannon S. D. Bredin et al., "Health benefits of physical activity: the evidence," CMAJ, Mar 2006, Volume 174, Number 6.
- ¹⁹ Nicola J. Fairhall et al., "Exercise for preventing falls in older people living in the community," Cochrane Database of Systematic Reviews, Jan 2019, Volume 1, Number 1.

- ²⁰ Takanori Honda et al., "Muscle-strengthening activities are associated with lower risk and mortality in major non-communicable disease: a systematic review and metaanalysis of cohort studies," *British Journal of Sports Medicine*, Volume 56, Issue 13.
- ²¹ Simon K. Harries et al., "Effect of highintensity interval training on hippocampal metabolism in older adolescents," *Psychophysiology*, Nov 2022, Volume 59, Issue 11.
- ²² Neha Dave et al., "Sleep quality, duration, and consistency are associated with better academic performance in college students," *Nature*, Oct 2019, Volume 4, Number 16.
- ²³ Chloe M. Beverly Hery et al., "Association between sleep duration and ideal cardiovascular health among US adults, national health and nutrition examination survey, 2013-2016," Preventing Chronic Disease, June 2020, Volume 17.
- ²⁴ Rachel Leproult et al., "Impact of sleep debt on metabolic and endocrine function," *Lancet*, Oct 1999, Volume 354, Issue 9188.
- ²⁵ Carolyn Chew-Graham et al., "Self-reported sleep duration and quality and cardiovascular disease and mortality: A dose-response meta-analysis," *Journal of the American Heart Association*, Aug 2018, Volume 7, Number 15:
- ²⁶ Michiel E. H. Hemels et al., "Short- and long-term health consequences of sleep disruption," *Nature and Science of Sleep*, May 2017, Volume 9.
- ²⁷ Dan Harris, "The relationship between employee wellness and employee engagement," Quantum Workplace, Aug 15, 2019.
- 28 "How does employment—or unemployment affect health?," Health Policy Snapshot, Robert Wood Johnson Foundation, Mar 2013.
- ²⁹ Stephanie Watson, "Volunteering may be good for body and mind," Harvard Health Publishing, June 26, 2013.

- Julianne Holt-Lunstad et al., "Social relationships and mortality risk: A meta-analytic review," PLOS Medicine, July 2010, Volume 7, Number 7.
- ³¹ Jenny Cundiff et al., "Friends with health benefits: The long-term benefits of early peer social integration for blood pressure and obesity in midlife," *Psychological Science*, May 2018, Volume 29, Number 5.
- ³² Andreas Holtermann et al., "Various leisuretime physical activities associated with widely divergent life expectancies: The Copenhagen City Heart Study," Mayo Clinic Proceedings; Dec 2018, Volume 93, Issue 12.
- ³³ Daniel DeNoon, "A dog could be your heart's best friend," Harvard Health Publishing, May 22, 2013.
- ³⁴ Stefan De Wachter et al., "Associations between online pornography consumption and sexual dysfunction in young men: Multivariate analysis based on an international web-based survey," JIMR Public Health and Surveillance, Oct 2021, Volume 7, Number 10.
- ³⁵ Cara Booker et al., "Social media use and adolescent mental health: Findings from the UK Millennium Cohort Study," *Lancet*, Jan 2019, Volume 6.
- ³⁶ Sandy Cairncross et al., "Effect of washing hands with soap on diarrhoea risk in the community: a systematic review," *Lancet Infectious Diseases*, May 2003, Volume 3, Number 5.
- ³⁷ P. E. Downing et al., "The effect of personal grooming on self-perceived body image," *International Journal of Cosmetic Science*, Feb 2015, Volume 37, Number 1.
- ³⁸ Marcia P. Jimenez et al., "Associations between nature exposure and health: A review of the evidence," *International Journal* of Environmental Research and Public Health, 2021, Volume 18, Number 9.
- ³⁹ Harvard Health Blog, "Time spent in 'green' places linked with longer life in women," blog entry by Elizabeth Pegg Frates, Harvard Health Publishing, March 9, 2017.

- ⁴⁰ Kirsten Weir "Nurtured by nature: Psychological research is advancing our understanding of how time in nature can improve our mental health and sharpen our cognition," American Psychological Association, 2020, Volume 51, Number 39; MaryCarol R. Hunter et al., "Urban nature experiences reduce stress in the context of daily life based on salivary biomarkers," Frontiers in Psychology, Apr 4, 2019; Sonja Sudimac et al., "How nature nurtures: Amygdala activity decreases as the result of a one-hour walk in nature," Molecular Psychiatry, 2022.
- ⁴¹ Tanjaniina Laukkanen et al., "Association between sauna bathing and fatal cardiovascular and all-cause mortality events," *JAMA Internal Medicine*, 2015, Volume 175, Number 4.
- ⁴² "Household air pollution: Key facts," WHO, July 27, 2022.
- ⁴³ M. aan het Rot et al., "Exposure to bright light is associated with positive social interaction and good mood over short time periods: A naturalistic study in mildly seasonal people," *Journal of Psychiatric Research*, 2008, Volume 42, Number 4.
- 44 "Environmental noise in Europe, 2020," European Environment Agency—Publications Office, March 23, 2020.
- ⁴⁵ Jennifer N Baumgartner et al., "Widespread pressure delivered by a weighted blanket reduces chronic pain: A randomized controlled trial," *Journal of Pain*, 2022; Bodil Ekholm et al., "A randomized controlled study of weighted chain blankets for insomnia in psychiatric disorders," *Journal of Clinical Sleep Medicine*, 2020, Volume 16, Number 9; Vedrana Bolic Baric et al., "The effectiveness of weighted blankets on sleep and everyday activities A retrospective follow-up study of children and adults with attention deficit hyperactivity disorder and/or autism spectrum disorder," *Scandinavian Journal of Occupational Therapy*, 2021.
- ⁴⁶ "Lead poisoning: Key facts," WHO, August 31, 2022.

- ⁴⁷ Ibid.
- 48 Ibid.
- ⁴⁹ G. Brulé G and R. Morgan, "Working with stress: Can we turn distress into eustress?," *Journal of Neuropsychology & Stress Management*, 2018, Volume 3, Number 1–3; Janet A. DiPietro et al., "Mild maternal stress may actually help children mature," Johns Hopkins Bloomberg School of Public Health, May 17, 2006; Firdaus S. Dhabhar, "The short-term stress response – Mother Nature's mechanism for enhancing protection and performance under conditions of threat, challenge, and opportunity," *Frontiers in Neuroendocrinology*, 2018.
- ⁵⁰ Fan Tian, "Association of stress-related disorders with subsequent risk of all-cause and cause-specific mortality: A populationbased and sibling-controlled cohort study," *Lancet*, 2022, Volume 18, Number 100402.
- 51 Ibid.
- ⁵² "Optimism," Global Wellness Institute, accessed Dec 2022.
- ⁵³ Suzanne C. Segerstrom, "Optimism and immunity: Do positive thoughts always lead to positive effects?," *Brain, Behavior, and Immunity*, 2005, Volume 19, Issue 3.
- ⁵⁴ D. S. Yeager et al., "A synergistic mindsets intervention protects adolescents from stress," *Nature*, 2022, Volume 607.
- $^{\rm 55}$ L. A. Williams and M. Y. Bartlett, "Warm thanks: Gratitude expression facilitates social affiliation in new relationships via perceived warmth," Emotion, 2015, Volume 15, Number 1; Robert A. Emmons and Michael E. McCullough, "Counting blessings versus burdens: An experimental investigation of gratitude and subjective well-being in daily life," Journal of Personality and Social Psychology, 2003, Volume 84, Number 2; Patrick L. Hill, Mathias Allemand, and Brent W. Roberts, "Examining the pathways between gratitude and self-rated physical health across adulthood," Personality and Individual Differences, 2013, Volume 54, Number 1; Todd B. Kashdan, Gitendra Uswatte, and

- Terri Julian, "Gratitude and hedonic and eudaimonic well-being in Vietnam war veterans," *Behaviour Research and Therapy*, 2006, Volume 44, Number 2.
- ⁵⁶ Salah Gariballa and Awad Alessa, "Associations between low muscle mass, blood-borne nutritional status and mental health in older patients," *BMC Nutrition*, 2020, Volume 6, Number 6.
- ⁵⁷ "Health effects of overweight and obesity in 195 countries over 25 years," *New England Journal of Medicine*, 2017, Volume 377.
- ⁵⁸ D. M. Huffman and N. Barzilai, "Contribution of adipose tissue to health span and longevity," *Interdisciplinary Topics in Gerontology*, 2010, Volume 37.
- ⁵⁹ Charlotte Fiedler and Christopher Rohles, "Social cohesion after armed conflict: A literature review," German Development Institute, July 2021.
- ⁶⁰ Kevin Krajick, "Exposure to deadly urban heat worldwide has tripled in recent decades, says study: Fifth of world population is affected; many U.S. cities on list," State of the Planet, October 4, 2021.

- ⁶¹ Steven H. Woolf et al., "How are income and wealth linked to health and longevity?," Urban Institute and Virginia Commonwealth University, Apr 2015.
- ⁶² Alice Smith et al., "Fuel poverty, cold homes and health inequalities in the UK," London: Institute of Health Equity, 2022.
- 63 "The cost of living: An avoidable public health crisis," *Lancet Public Health*, 2022, Volume 7, Number 6.
- ⁶⁴ Oliver Watson et al., "Global impact of the first year of COVID-19 vaccination: a mathematical modelling study," *Lancet*, 2022, Volume 22, Number 9.
- ⁶⁵ "Polio eradication: Falling at the final hurdle?," *Lancet*, 2022, Volume 400, Issue 10358.
- ⁶⁶ K. Miles, "Can imaging help improve the survival of cancer patients? Cancer Imaging, 2011, Volume 11, Number 1A.
- ⁶⁷ Alejandra Castañón et al., "Impact of cervical screening on cervical cancer mortality: estimation using stage-specific results from a nested case-control study," *British Journal of Cancer*, 2016, Volume 115.

- ⁶⁸ Nigel Hawkes, "Cancer survival data emphasise importance of early diagnosis," *BMJ*, 2019.
- ⁶⁹ Hannah Ritchie, "Cancer death rates are falling; five-year survival rates are rising," Our World in Data, February 4, 2019; Ahmedin Jemal et al., "Annual report to the nation on the status of cancer, 1975–2014, featuring survival," *Journal of the National Cancer Institute*, 2017, Volume 109, Number 9.
- 70 "Global roll-out of HIV treatment has saved millions of lives," UNAIDS, September 6, 2021.
- ⁷¹ L. K. Williams et al., "Relationship between adherence to inhaled corticosteroids and poor outcomes among adults with asthma," *Journal of Allergy and Clinical Immunology*, 2004, Volume 114, Number 6.
- ⁷² R. Khan and K. Socha-Dietrich, (2018), "Investing in medication adherence improves health outcomes and health system efficiency: Adherence to medicines for diabetes, hypertension, and hyperlipidaemia," OECD Health Working Papers, OECD Publishing, 2018.

Designed by McKinsey Global Publishing Copyright © 2022 McKinsey & Company. All rights reserved.